

- after one-year cinacalcet treatment of advanced secondary hyperparathyroidism. *Ther Apher Dial* 14: 178-85
63. Bossola M, Ciciarelli C, **Di Stasio E**, Conte GL, Vulpio C, Luciani G, Tazza L. Correlates of symptoms of depression and anxiety in chronic hemodialysis patients. *Gen Hosp Psychiat.* 32: 125-131
64. Papi M., Maulucci G., De Spirito M., Missori M., Arcovito G., Lancellotti S., **Di Stasio E**, De Cristofaro R. and Arcovito A. Ristocetin-induced Self-Aggregation of Von Willebrand Factor. *Eur Byophys J* 39: 1597-1603
65. Bizzarri C., Pitocco D., Napoli N., **Di Stasio E**, Maggi, D., Manfrini, S., Suraci C., Cavallo M.G., Cappa M., Ghirlanda G., Pozzilli P. NO protective effect of Calcitriol on beta cell function in recent onset type 1 diabetes (IMDIAB XIII). *Diabetes Care* 33: 1962-3
66. Cesareo R., Iozzino M., Isgrò M.A., Annunziata F. and **Di Stasio E**. Short term effects of levothyroxine treatment in thyroid multinodular disease. *Endocr J* 57: 803-9
67. **Di Stasio E**, and De Cristofaro R. The effect of shear stress on protein conformation. Physical forces operating on biochemical systems: the case of Von Willebrand Factor. *Accepted to Byophys Chem* 153: 1-8
68. Pitocco D., Zaccardi F., **Di Stasio E**, Romitelli F., Santini S.A., Zuppi C., Ghirlanda G. Oxidative stress, nitric oxide, and diabetes. *Rev Diabet Stud.* 7: 15-25
69. Nerla R., Di Monaco A., Sestito A., Lamendola P., **Di Stasio E**, Romitelli F., Lanza G.A., Crea F. Transient endothelial dysfunction following flow-mediated dilation assessment. *Heart Vessels* 26: 524-529
70. Vulpio C., Maresca G., **Di Stasio E**, Cacaci S., Panocchia N., Luciani G. and Bossola M. Switch from calcitriol to Paricalcitol in secondary hyperparathyroidism of hemodialysis patients: responsiveness is related to parathyroid gland size. *Hemodialysis International* 15: 69-78
71. Napoli N., Costanza F., **Di Stasio E**, Strollo R., Manfrini S., Cipponeri E., Picardi A., Carrano F., Dell'anna V., Macino W., Pozzilli P. Blood glucose monitoring in the normal population: the PREDICA study. *Acta Diabetol.* 48: 29-34
72. Bossola M., Antocicco M., **Di Stasio E**, Ciciarelli C., Luciani G., Tazza L., Rosa F., Onder G. Mini Mental State Examination over time in chronic hemodialysis patients. *Journal of Psychosomatic Research* 71: 50-4
73. **Di Stasio E**, Russo A., Mettimano M., Viviani D., Scagliusi A., Bruno A., Giuliani A., Isgrò M.A., Romitelli F., Savi L. NT-proBNP: a marker of preclinical cardiac damage in arterial hypertension *Clin Chim Acta* 412: 1106-1111
74. Cesareo R., Napolitano C., Iozzino M., De Rosa B., Boeri L., Canzonieri C., Olivieri C., Isgrò M.A. and **Di Stasio E**. A rare case of hypoparathyroidism associated to Rendu-Osler-Weber syndrome. *Acta Endocrinol-Buch* 7(2)
75. Díez J.J., Bossola M., Fernández-Reyes M.J., **Di Stasio E**, Tazza L., Luciani G., Codoceo R., Iglesias P., Rodríguez A., González E. and Selgas R. Relationship between leptin and all-cause and cardiovascular mortality in chronic hemodialysis patients. *Nefrologia* 31: 206-12
76. **Di Stasio E**, Maggi D., Berardesca E., Marulli G.C., Bizzarri C., Lauria A., Portuesi R., Cavallo M.G., Costantino F., Buzzetti R., Astorri E., Pitocco D., Songini M., Pozzilli P. and the IMDIAB

- group. Blue eyes and fair skin as risk factors for type I diabetes. *Diabetes Metab Res Rev* 27: 609-613
77. Pitocco D., Giubilato S., Martini F., Zaccardi F., Pazzano V., Manto A., Cammarota G., **Di Stasio E.**, Pedicino D., Liuzzo G., Crea F., Ghirlanda G. Combined atherogenic effects of celiac disease and type 1 diabetes mellitus. *Atherosclerosis* 217: 531-535
- 2011 3.794 FP
78. Bossola M., Ciccarelli C., **Di Stasio E.**, Panocchia N., Conte G.L., Rosa F., Tortorelli A., Luciani G., Tazza L. Relationship between appetite and symptoms of depression and anxiety in chronic hemodialysis patients. *J Renal Nutr* 22: 27-33
- 2012 1.750 FP
79. Bossola M., Ciccarelli C., **Di Stasio E.**, Conte G.L., Antocicco M., Rosa F., Tazza L., Symptoms of depression and anxiety over time in chronic hemodialysis patients *J Nephrol* 25: 689-698
- 2012 2.015 FP
80. Francica G., Petrolati A., **Di Stasio E.**, Pacella S., Stasi R., Pacella CM. Influence of ablative margin on local tumor progression and survival in patients with HCC <=4 cm after laser ablation. *Acta Radiol* 53: 394-400
- 2012 - FP
81. Santangelo R., Mancuso C., Marchetti S., **Di Stasio E.**, Pani G., Fadda G. Bilirubin: An Endogenous Molecule with Antiviral Activity in vitro. *Front Pharmacol* 3: 36
82. Bossola M., **Di Stasio E.**, Rosa F., Dominici L., Antocicco M., Pazzaglia C., Aprile I., Tazza L. Appetite course over time and the risk of death in patients on chronic hemodialysis. *Int Urol Nephrol* 45(4): 1091-6
- 2013 1.363 FP
83. Bossola M., **Di Stasio E.**, Antocicco M., Tazza L. Qualities of fatigue in patients on chronic hemodialysis. *Hemodial Int* 17(1): 32-40
- 2012 2.015 FP
84. Bossola M., **Di Stasio E.**, Antocicco M., Silvestri P., Tazza L. Variables associated with time of recovery after hemodialysis. *J Nephrol* 26(4): 787-92
- 2013 L 2.272 FP
85. Marana E., Russo A., Colicci S., Polidori L., Bevilacqua F., Viviani D., **Di Stadio E.**. Desflurane versus sevoflurane: a comparison on stress response. *Minerva Anestesiol* 79(1): 7-14
86. Russo A., Scagliusi A., Scarano A., Bevilacqua F., **Di Stasio E.**, Polidori L., Marana E. Influence of Pneumoperitoneum on Left Ventricular filling pressures and NT-proBNP levels Eur *Eur Rev Med Pharmacol Sci* 16(11): 1570-5
- 2012 E 1.093 FP
87. Russo A., **Di Stasio E.**, Bevilacqua F., Cafaroti S., Scarano A., Marana E. Efficacy of scheduled time ketorolac administration compared to continuous infusion for post-operative pain after abdominal surgery. *Eur Rev Med Pharmacol Sci* 16(12): 1675-9
- 2012 2.897 FP
88. Francica G., Petrolati A., **Di Stasio E.**, Pacella S., Stasi R., Pacella C.M. Effectiveness, safety and local progression after percutaneous laser ablation for HCC nodules? 4 cm are not affected by tumor location. *AJR Am J Roentgenol* 199(6): 1393-401
- 2012 C - LE
89. Basile U., Gulli F., **Di Stasio E.**, Isgrò MA. Hereditary bisalbuminemia and diabetes: What relationship? [Bisalbuminemia ereditaria e diabete: Quale relazione?]. *Biochimica Clinica* 36: 281
- 2013 E 1.926 FP
90. Tempestilli M., **Di Stasio E.**, Basile M.R., Elisei F., Antonini M., Ettorre G.M., Iappelli M., Pucillo L.P. Low plasma concentration of albumin influence the affinity column mediated immunoassay method for the measurement of Tacrolimus in blood during the early period after liver transplantation. *Ther Drug Monit* 35(1): 96-100

91. Pomponi M, Janiri L, La Torre G, Di Stasio E, Di Nicola M, Mazza M, Martinotti G, Bria P, Lippa S, Natili R, Pomponi MF. Plasma levels of n-3 fatty acids in bipolar patients: Deficit restricted to DHA. *J Psychiatr Res* 47(3): 337-42
- 2013 4.092 FP
92. Di Somma S, Magrini L, De Berardinis B, Marino R, Ferri E, Moscatelli P, Ballarino P, Carpenteri G, Noto P, Gliozzo B, Palladino L, **Di Stasio E**. Additive value of blood neutrophil gelatinase-associated lipocalin to clinical judgement in acute kidney injury diagnosis and mortality prediction in patients hospitalized from the emergency department. *Crit Care* 17(1): R29
- 2013 5.035 FP L
93. Vulpio C, Bossola M, **Di Stasio E**, Tazza L, Silvestri P, Fadda G. Histology and immunohistochemistry of the parathyroid glands in renal secondary hyperparathyroidism refractory to vitamin D or cinacalcet therapy. *Eur J Endocrinol*: 168(6): 811-9.
- 2013 3.686 FP
94. Revelli L, Vagnoni S, D'Amore A, **Di Stasio E**, Lombardi CP, Storti G, Proietti R, Balestra C, Ricerca BM. EPO Modulation in a 14-Days Undersea Scuba Dive. *Int J Sports Med* 34(10): 856-60
- 2013 2.374 FP
95. Russo A, **Di Stasio E**, Scagliusi A, Bevilacqua F, Isgrò MA, Marana R, Marana E. Positive end-expiratory pressure during laparoscopy: cardiac and respiratory effects. *J Clin Anesth* 25(4): 314-20.
- 2013 1.210 FP C
96. Zocco MA, Garcovich M, Lupascu A, **Di Stasio E**, Roccarina D, Annicchiarico BE, Riccardi L, Ainora ME, Ponziani F, Caracciolo G, Rapaccini GL, Landolfi R, Siciliano M, Pompili M, Gasbarrini A. Early prediction of response to sorafenib in patients with advanced hepatocellular carcinoma: the role of dynamic contrast enhanced ultrasound. *J Hepatol* 59(5): 1014-21
- 2013 10.40 FP 1
97. Bozzi M, **Di Stasio E**, Scaglione GL, Desiderio C, Martelli C, Giardina B, Sciandra F, Brancaccio A. Probing the stability of the "naked" mucin-like domain of human alpha-dystroglycan. *BMC Biochem* 14(1): 15
- 2013 1.938 FP E
98. Scaglione GL, Lancellotti S, Papi M, De Spirito M, Maiorana A, Baronciani L, Pagliari MT, Arcovito A, **Di Stasio E**, Peyvandi F, De Cristofaro R. The type 2B p.R1306W natural mutation of von Willebrand factor dramatically enhances the multimer sensitivity to shear stress. *J Thromb Haemost* 11(9): 1688-98.
- 2013 5.760 FP
99. D'Orlando C, Marzetti E, François S, Lorenzi M, Conti V, **Di Stasio E**, Rosa F, Brunelli S, Doglietto GB, Pacelli F, Bossola M. Gastric cancer does not affect the expression of atrophy-related genes in human skeletal muscle. *Muscle & Nerve*. 49(4):528-33
- 2014 2.283 FP
100. Bossola M, **Di Stasio E**, Giungi S, Vulpio C, Papa V, Rosa F, Tortorelli A, Tazza L. Xerostomia is associated with old age and poor appetite in patients on chronic hemodialysis. *J Ren Nutr* 23(6): 432-7.
- 2013 0.988 R
101. Flore R, Ponziani FR, Di Rienzo TA, Zocco MA, Flex A, Gerardino L, Lupascu A, Santoro L, Santoliquido A, **Di Stasio E**, Chierici E, Lanti A, Tondi P, Gasbarrini A. Something more to say about calcium homeostasis: the role of vitamin K2 in vascular calcification and osteoporosis. *Eur Rev Med Pharmacol Sci* 17(18): 2433-40.
- 2014 2.134 FP
102. Russo A, Bevilacqua F, Scagliusi A, Scarano A, **Di Stasio E**, Marana R, Marana E. Dopamine infusion and fluid administration improve renal function during laparoscopic surgery. *Minerva Anestesiol*. 80(4):452-60

- 103.Di Somma S, Lalle I, Magrini L, Russo V, Navarin S, Castello L, Avanzi GC, **Di Stasio E**, Maisel A. Additive diagnostic and prognostic value of Bioelectrical Impedance Vector Analysis (BIVA) to brain natriuretic peptide 'grey-zone' in patients with acute heart failure in the emergency department. *Eur Heart J Acute Cardiovasc Care* 3(2):167-75
- 104.Pitocco D, Marano R, **Di Stasio E**, Scavone G, Savino G, Zaccardi F, Rizzi A, Martini F, Musella T, Silvestri V, Costantini F, Galli M, Caputo S, Bonomo L, Ghirlanda G. Atherosclerotic coronary plaque in subjects with diabetic neuropathy: the prognostic cardiovascular role of Charcot neuroarthropathy-a case-control study. *Acta Diabetol.* 51(4):587-93
- 105.Pagliaccia F, Habib A, Pitocco D, Petrucci G, Zaccardi F, **Di Stasio E**, Rocca B. Stability of urinary thromboxane A2 metabolites and adaptation of the extraction method to small urine volume. *Clin Lab.* 60(1):105-11
- 106.Bossola M, **Di Stasio E**, Viola A, Leo A, Carlomagno G, Monteburini T, Cenerelli S, Santarelli S, Boggi R, Miggiano G, Vulpio C, Mele C, Tazza L. Dietary intake of trace elements, minerals, and vitamins of patients on chronic hemodialysis. *Int Urol Nephrol.* 46(4):809-15.
- 107.Vetrone F, Santarelli S, Russo V, Lalle I, De Berardinis B, Magrini L, **Di Stasio E**, Salerno G, Cardelli P, Piccoli A, Codognotto M, Mion MM, Plebani M, Vettore G, Castello LM, Avanzi GC, Di Somma S. Copeptin decrease from admission to discharge has favorable prognostic value for 90-day events in patients admitted with dyspnea. *Clin Chem Lab Med.* 52(10):1457-64.
- 108.Papini E, Rago T, Gambelunghe G, Valcavi R, Bizzarri G, Vitti P, De Feo P, Riganti F, Misicchi I, **Di Stasio E**, Pacella CM. Long-term efficacy of ultrasound-guided laser ablation for benign solid thyroid nodules. Results of a three-year multicenter prospective randomized trial. *J Clin Endocrinol Metab.* 99(10):3653-9
- 109.De Berardinis B, Magrini L, Zampini G, Zancla B, Salerno G, Cardelli P, **Di Stasio E**, Gaggin HK, Belcher A, Parry BA, Nagurney JT, Januzzi JL Jr, Di Somma S. Usefulness of combining galectin-3 and BIVA assessments in predicting short- and long-term events in patients admitted for acute heart failure. *Biomed Res Int.* 2014: 983098.
- 110.Bossola M, **Di Stasio E**, Giungi S, Rosa F, Tazza L. Fatigue Is Associated With Serum Interleukin-6 Levels and Symptoms of Depression in Patients on Chronic Hemodialysis. *J Pain Symptom Manage.* 49(3):578-85
- 111.Russo A, **Di Stasio E**, Bevilacqua F, Marana E. Assessment of left ventricular performance during laparoscopy. *Eur Rev Med Pharmacol Sci.* 18(16):2378-82.
- 112.Bossola M, Pellu V, **Di Stasio E**, Tazza L, Giungi S, Nebiolo PE. Self-reported physical activity in patients on chronic hemodialysis: correlates and barriers. *Blood Purif.* 38(1):24-9
- 113.Achille G, Zizzi S, **Di Stasio E**, Grammatica A, Grammatica L. Ultrasound-guided percutaneous laser ablation (LA) in treating symptomatic solid benign thyroid nodules: Our experience in 45 patients. *Head Neck.* 38(5):677-82
- 114.Cesareo R, **Di Stasio E**, Vescini F, Campagna G, Cianni R, Pasqualini V, Romitelli F, Grimaldi F, Manfrini S, Palermo A. Effects of alendronate and vitamin D in patients with normocalcemic primary hyperparathyroidism. *Osteoporos Int.* 26(4):1295-302
- 115.Romitelli F, Pucillo LP, Basile U, **Di Stasio E**. Comparison between the traditional and a rapid screening test for cryoimmunoglobulins detection. *Biomed Res Int.* 2015: 783063.

			116.	Aprile I, Chiesa S, Padua L, Di Blasi C, Arezzo MF, Valentini V, Di Stasio E , Balducci M. Occurrence and predictors of the fatigue in high-grade glioma patients. <i>Neurol Sci.</i> 36(8):1363-9
2015	1.783	FP	117.	Di Taranto G, Cicione C, Visconti G, Isgrò MA, Barba M, Di Stasio E , Stigliano E, Bernardini C, Michetti F, Salgarello M, Lattanzi W. Qualitative and quantitative differences of adipose-derived stromal cells from superficial and deep subcutaneous lipoaspirates: a matter of fat. <i>Cytotherapy</i> 17(8):1076-89.
2015	3.625	FP	118.	Bossola M, Di Stasio E , Antocicco M, Panico L, Pepe G, Tazza L. Fatigue Is Associated with Increased Risk of Mortality in Patients on Chronic Hemodialysis. <i>Nephron.(Clinical Practice)</i> 130(2):113-8.
2015	1.471	FP	119.	Marano R, Pitocco D, Di Stasio E , Savino G, Merlini B, Trani C, Pirro F, Rutigliano C, Santangelo C, Minoli AC, Natale L, Bonomo L. MDCT assessment of CAD in type-2 diabetic subjects with diabetic neuropathy: the role of Charcot neuro-arthropathy. <i>Eur Radiol.</i> 26(3):788-796
2016	3.967	FP	120.	Panocchia N, Tazza L, Di Stasio E , Liberatori M, Vulpio C, Giungi S, Lucani G, Antocicco M, Bossola M. Mortality in hospitalized chronic kidney disease patients starting unplanned urgent hemodialysis. <i>Nephrology (Carlton)</i> 21(1):62-7
2016	1.563	FP	121.	Musumeci M, Palermo A, D'Onofrio L, Vadalà G, Greto V, Di Stasio E , Maddaloni E, Di Rosa M, Tibullo D, Silvia A, Napoli N, Denaro V, Manfrini S. Serum chitotriosidase in postmenopausal women with severe osteoporosis. <i>Osteoporos Int.</i> 27(2):711-6
2015	5.531	FP	122.	Pacella CM, Mauri G, Achille G, Barbaro D, Bizzarri G, De Feo P, Di Stasio E , Esposito R, Gambelunghe G, Misicchi I, Raggiunti B, Rago T, Patelli GL, D'Este S, Vitti P, Papini E. Outcomes and Risk Factors for Complications of Laser Ablation for Thyroid Nodules: A Multicenter Study on 1531 Patients. <i>J Clin Endocrinol Metab.</i> 100(10):3903-10.
2015	5.008	FP	123.	Ulivieri A, Cardillo G, Manente L, Paone G, Mancuso AP, Vigna L, Di Stasio E , Gasbarra R, Girlando S, Leone A. Molecular characterization of a selected cohort of patients affected by pulmonary metastases of malignant melanoma: Hints from BRAF, NRAS and EGFR evaluation. <i>Oncotarget.</i> 6(23):19868-79.
2015	2.309	FP	124.	Petracca M, Guidubaldi A, Ricciardi L, Ialongo T, Del Grande A, Mulas D, Di Stasio E , Bentivoglio AR. Botulinum Toxin A and B in sialorrhea: Long-term data and literature overview. <i>Toxicon.</i> 107:129-40
2017	0.947	FP	125.	Ferrazzani S, Degennaro VA, Di Stasio E , Poppa G, Moresi S, Salvi S, Lanzone A, De Carolis S. Development of a new foetal growth curve from a large sample of italian population. <i>Minerva Pediatr.</i> 69(4):245-250 doi: 10.23736/S0026-4946.16.04258-4. PMID: 26365747
2016	2.434	FP	126.	Vulpio C, Bossola M, Di Stasio E , Pepe G, Nure E, Magalini S, Agnes S. Intra-operative parathyroid hormone monitoring through central laboratory is accurate in renal secondary hyperparathyroidism. <i>Clin Biochem.</i> 2016 May;49(7-8):538-43. doi: 10.1016/j.clinbiochem.2016.01.012. PMID: 26800781
2016	2.962	FP	127.	Aprile I, Di Stasio E , Vincenzi MT, Arezzo MF, De Santis F, Mosca R, Briani C, Di Sipio E, Germanotta M, Padua L. The relationship between back pain and schoolbag use: a cross-sectional study of 5,318 Italian students. <i>Spine J.</i> 16(6):758-755

- doi: 10.1016/j.spinee.2016.01.214. PMID: 26882858
128. Santarelli S, Russo V, Lalle I, De Berardinis B, Vetrone F, Magrini L, **Di Stasio E**, Piccoli A, Codognotto M, Mion MM, Castello LM, Avanzi GC, Di Somma S; GREAT network. Prognostic value of decreased peripheral congestion detected by Bioelectrical Impedance Vector Analysis (BIVA) in patients hospitalized for acute heart failure: BIVA prognostic value in acute heart failure. *Eur Heart J Acute Cardiovasc Care*. 6(4):339-347
doi: 10.1177/2048872616641281. PMID: 27073131
129. Missori P, Morselli C, Domenicucci M, Paolini S, Peschillo S, Scapeccia M, Rastelli E, Martini S, Caporlingua F, **Di Stasio E**. Measurement of Bone Flap Surface Area and Midline Shift to Predict Overall Survival After Decompressive Craniectomy. *World Neurosurg*. 96: 11-14
doi: 10.1016/j.wneu.2016.05.043. PMID: 27241094
130. Bossola M, **Di Stasio E**, Antocicco M, Pepe G, Tazza L, Zuccalà G, Laudisio A. Functional impairment is associated with an increased risk of mortality in patients on chronic hemodialysis. *BMC Nephrol*. 17: 72
doi: 10.1186/s12882-016-0302-y. PMID: 27391964
131. Patini R, Arrica M, **Di Stasio E**, Gallenzi P, Cordaro M. The use of magnetic resonance imaging in the evaluation of upper airway structures in paediatric obstructive sleep apnoea syndrome: a systematic review and meta-analysis. *Dentomaxillofac Radiol*. 45:20160136
doi: 10.1259/dmfr.20160136. PMID: 27440304
132. Rizzo P, Pitocco D, Zaccardi F, **Di Stasio E**, Strollo R, Rizzi A, Scavone G, Costantini F, Galli M, Tinelli G, Flex A, Caputo S, Pozzilli P, Landolfi R, Ghirlanda G, Nissim A. Autoantibodies to post-translationally modified type I and II collagen in Charcot neuroarthropathy in subjects with type 2 diabetes mellitus. *Diabetes Metab Res Rev*. 33: e2839
doi: 10.1002/dmrr.2839. PMID: 27454862
133. Bossola M, **Di Stasio E**, Sanguinetti M, Posteraro B, Antocicco M, Pepe G, Mello E, Bugli F, Vulpio C. Serum Endotoxin Activity Measured with Endotoxin Activity Assay Is Associated with Serum Interleukin-6 Levels in Patients on Chronic Hemodialysis. *Blood Purif*. 42: 294-300.
doi: 10.1159/000449096. PMID: 27577953
134. Lazzarino G, Amorini AM, Petzold A, Gasperini C, Ruggieri S, Quartuccio ME, Lazzarino G, **Di Stasio E**, Tavazzi B. Serum Compounds of Energy Metabolism Impairment Are Related to Disability, Disease Course and Neuroimaging in Multiple Sclerosis. *Mol Neurobiol*. 54(9):7520-7533
doi: 10.1007/s12035-016-0257-9. PMID: 27826747
135. Vergari A, Frassanito L, Nestorini R, Caputo CT, Chierichini A, **Di Stasio E**, Rossi M. Hypobaric versus isobaric spinal Levobupivacaine for total hip arthroplasty. *Minerva Anestesiol*. 83:361-368
doi: 10.23736/S0375-9393.16.11506-8. PMID: 27879955
136. Garcovich M, Veraldi S, **Di Stasio E**, Zocco MA, Monti L, Tomà P, Pompili M, Gasbarrini A, Nobili V. Liver Stiffness in Pediatric Patients with Fatty Liver Disease: Diagnostic Accuracy and Reproducibility of Shear-Wave Elastography. *Radiology*. 283: 820-827
doi: 10.1148/radiol.2016161002. PMID: 27982761